



This is to certify that:

Philip Payne Ltd Thornhill House Thornhill Road Lode Lane Solihull B91 2HB United Kingdom

Holds Certificate Number:

KM 587259

In respect of:

BS EN 60598-2-22 Emergency luminaires

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI:

First Issued: 25/04/2013

Gary Fenton, Global Product Certification Director

Latest Issue: 22/03/2017

Page: 1 of 7



...making excellence a habit."

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated <u>online</u>.

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.

A member of BSI Group of Companies.

No. KM 587259

### Emergency Luminaires to BS EN 60598-1:2008+A11:2009, BS EN 60598-2-2:2012, BS EN 60598-2-22:1998+A2:2008 and BS EN 60598-2-22:2014.

### Super 7 range of Luminaires

#### BSI Reports - 2408/7840497/1 of 3 8506657

Rating - 230/240V 50 Hz

Brand	Model		Version	
Philip Payne	S7000 LE / S7001 LE		Central battery	
	S7000 LM / S7001 LM		Self-contained	
	S7000 DL / S7001 DL		DALI	
	S7000 YL / S7001 YL		Auto Test	
Thorlux	DSV13626 / 7 / 8 / 9		Same as S7000 DL or S7001 DL	
	TSV13626 / 7 / 8 / 9		Same as S7000 YL or S7001 YL	
Thorlux brands : Individual numbering for legend variation				

#### **Mini Cylinder range of Luminaires**

BSI Reports - 2408/7840497/2 of 3 8437344

### Rating - 230/240V 50 Hz

Brand	Model	Туре	Version
Philip Payne	250MCSHDA	Surface mounted wall	Central battery DALI
	250MCSHLE	Surface mounted wall	Central battery
	250MCSHLM	Surface mounted wall	Self-contained
	250MCSHDL	Surface mounted wall	DALI
	250MCSHYL	Surface mounted wall	Auto test
	250MCSVDA	Surface mounted ceiling	Central battery DALI
	250MCSVLE	Surface mounted ceiling	Central battery
	250MCSVLM	Surface mounted ceiling	Self-contained
	250MCSVDL	Surface mounted ceiling	DALI
	250MCSVYL	Surface mounted ceiling	Auto test
	250MCRVDA	Recessed ceiling	Central battery DALI
	250MCRVLE	Recessed ceiling	Central battery
	250MCRVLM	Recessed ceiling	Self-contained
	250MCRVDL	Recessed ceiling	DALI
	250MCRVYL	Recessed ceiling	Auto test

First Issued: 25/04/2013

Latest Issue: 22/03/2017

#### Page: 2 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. KM 587259

### Emergency Luminaires to BS EN 60598-1:2008+A11:2009, BS EN 60598-2-2:2012, BS EN 60598-2-22:1998+A2:2008 and BS EN 60598-2-22:2014.

Brand	Model	Туре	Version
Philip Payne	250MCRHDA	Recessed wall	Central battery DALI
	250MCRHLE	Recessed wall	Central battery
	250MCRHLM	Recessed wall	Self-contained
	250MCRHDL	Recessed wall	DALI
	250MCRHYL	Recessed wall	Auto test

### Mini Cylinder range of Luminaires (continued)

#### **Architectural Range of Luminaires**

BSI Report - 2408/7840497 / 3 of 3

Rating - 230/240V, 50Hz

Brand	Model	Туре	Version
Philip Payne	250FCDA	Recessed ceiling	Central battery DALI
	250FCLE	Recessed ceiling	Central battery
	250FCLM	Recessed ceiling	Self-contained
	250FCDL	Recessed ceiling	DALI
	250FCYL	Recessed ceiling	Auto test
	250DWDA	Wall mounted Sign down	Central battery DALI
	250DWLE	Wall mounted Sign down	Central battery
	250DWLM	Wall mounted Sign down	Self-contained
	250DWDL	Wall mounted Sign down	DALI
	250DWYL	Wall mounted Sign down	Auto test
	250IWDA	Wall mounted Sign up	Central battery DALI
	250IWLE	Wall mounted Sign up	Central battery
	250IWLM	Wall mounted Sign up	Self-contained
	250IWDL	Wall mounted Sign up	DALI
	250IWYL	Wall mounted Sign up	Auto test

First Issued: 25/04/2013

Latest Issue: 22/03/2017

Page: 3 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. KM 587259

# Emergency Luminaires to BS EN 60598-1:2008+A11:2009, BS EN 60598-2-2:2012, BS EN 60598-2-22:1998+A2:2008 and BS EN 60598-2-22:2014.

### Architectural Range of Luminaires

#### BSI Report - TR/14/310, 8437344

Rating - 220/240V, 50/60Hz

Brand	Model	Туре	Version
Philip Payne	250CMDA	Ceiling mounted	Central battery DALI
	250CMLE	Ceiling mounted	Central battery
	250CMLM	Ceiling mounted	Self-contained
	250CMDL	Ceiling mounted	DALI
	250CMYL	Ceiling mounted	Auto test
	250SMDA	Wall mounted	Central battery DALI
	250SMLE	Wall mounted	Central battery
	250SMLM	Wall mounted	Self-contained
	250SMDL	Wall mounted	DALI
	250SMYL	Wall mounted	Auto test
Ceiling mounting options can be direct or with Chains or Rods			

### Table 'B' Finish options. Follows the Model reference

Finish code B = Brass, Polished & lacquered	Finish code R = Satin chrome
Finish code C = Polished chrome	Finish code $V = Old$ penny bronze
Finish code D = Brass made antique	Finish code W = White RAL9010
Finish code G = Grey RAL9006	Finish code Z = Special finish: customer specification
Finish code K = Black RAL9005	

First Issued: 25/04/2013

Latest Issue: 22/03/2017

Page: 4 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. KM 587259

### Emergency Luminaires to BS EN 60598-1:2008+A11:2009, BS EN 60598-2-2:2012, BS EN 60598-2-22:1998+A2:2008 and BS EN 60598-2-22:2014.

### **LED Ceiling Recessed Luminaire**

### BSI Reports - TR/14/311 (8148994) 8437344

Rating - 220/240V, 50/60Hz

Brand	Model	Туре	Version
Philip Payne	TYKT404DA	Ceiling recessed	For use with static inverters & central power systems
The LED light source	e is the Philips LX		

### Rating - 230V, 50/60Hz

**BSI Report -** 2413/8197446

Brand	Model	Туре	Version
Philip Payne	TYKT404LN	Ceiling recessed	3hr non-maintained
	TYKT404DS		3hr non-maintained with a DALI connection
The LED light source	e is the Philips LXI	ML-PWC2 with green heatsink	

### **LED Surface Mount Ceiling Luminaire**

BSI Report - TR/15/089 (8320746)

Rating - 220 - 240V, 50/60Hz

Brand	Model	Туре	Version
Philip Payne	SPRT404LN	Surface mount ceiling, 3 W LED.	3hr non-maintained with a DALI connection
	SPRT404DS	Surface mount ceiling, 3 W LED.	3hr non-maintained with a DALI connection
	SPRT404DA	Surface mount ceiling, 3 W LED.	For use with central power systems

First Issued: 25/04/2013

Latest Issue: 22/03/2017

Page: 5 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. KM 587259

### Emergency Luminaires to BS EN 60598-1 :2015, BS EN 60598-2-2:2012 & BS EN 60598-2-22:2014.

### LED Ceiling Recessed Luminaires Report - 8607983

Rating 220-240V, 50/60Hz Class II IP20 above the ceiling / IP65 below the ceiling

Model	Mounting Type	Duration	Version
TYKE860LN	Recess Ceiling	3 Hrs	Self contained
TYKE860YS	Recess Ceiling	3 Hrs	Self contained Autotest
TYKE860DS	Recess Ceiling	3 Hrs	Self contained DALI
TYKE860LA	Recess Ceiling	Dependent on Battery system	Central Battery
TYKE860DA	Recess Ceiling	Dependent on Battery system	Central Battery DALI
TYKA860LN	Recess Ceiling	3 Hrs	Self contained
TYKA860YS	Recess Ceiling	3 Hrs	Self contained Autotest
TYKA860DS	Recess Ceiling	3 Hrs	Self contained DALI
TYKA860LA	Recess Ceiling	Dependent on Battery system	Central Battery
TYKA860DA	Recess Ceiling	Dependent on Battery system	Central Battery DALI
TYKC860LN	Recess Ceiling	3 Hrs	Self contained
TYKC860YS	Recess Ceiling	3 Hrs	Self contained Autotest
TYKC860DS	Recess Ceiling	3 Hrs	Self contained DALI
TYKC860LA	Recess Ceiling	Dependent on Battery system	Central Battery
TYKC860DA	Recess Ceiling	Dependent on Battery system	Central Battery DALI
TYKT870LN	Recess Ceiling	3 Hrs	Self contained
TYKT870YS	Recess Ceiling	3 Hrs	Self contained Autotest
TYKT870DS	Recess Ceiling	3 Hrs	Self contained DALI
TYKT870LA	Recess Ceiling	Dependent on Battery system	Central Battery
TYKT870DA	Recess Ceiling	Dependent on Battery system	Central Battery DALI
TYKT870CG	Recess Ceiling	Dependent on Battery system	Central Battery CEAG
TYKP870LN	Recess Ceiling	3 Hrs	Self contained
TYKP870YS	Recess Ceiling	3 Hrs	Self contained Autotest
TYKP870DS	Recess Ceiling	3 Hrs	Self contained DALI
TYKP870LA	Recess Ceiling	Dependent on Battery system	Central Battery
TYKP870DA	Recess Ceiling	Dependent on Battery system	Central Battery DALI
TYKP870CG	Recess Ceiling	Dependent on Battery system	Central Battery CEAG

First Issued: 25/04/2013

Latest Issue: 22/03/2017

#### Page: 6 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated <u>online</u>.

### No. KM 587259

### Emergency Luminaires to BS EN 60598-1 :2015, BS EN 60598-2-2:2012 & BS EN 60598-2-22:2014.

### LED Ceiling surface Luminaires Report - 8607985

Rating 220-240V, 50/60Hz Class I IP20 luminaires with metal enclosure / IP6X luminaires with plastic enclosure

Model	Mounting Type	Duration	Version
SPRT870LN	Surface Ceiling	3 Hrs	Self contained
SPRT870YS	Surface Ceiling	3 Hrs	Self contained Autotest
SPRT870DS	Surface Ceiling	3 Hrs	Self contained DALI
SPRT870LA	Surface Ceiling	Dependent on Battery system	Central Battery
SPRT870DA	Surface Ceiling	Dependent on Battery system	Central Battery DALI
SPRT870CG	Surface Ceiling	Dependent on Battery system	Central Battery CEAG
SPRP870LN	Surface Ceiling	3 Hrs	Self contained
SPRP870YS	Surface Ceiling	3 Hrs	Self contained Autotest
SPRP870DS	Surface Ceiling	3 Hrs	Self contained DALI
SPRP870LA	Surface Ceiling	Dependent on Battery system	Central Battery
SPRP870DA	Surface Ceiling	Dependent on Battery system	Central Battery DALI
SPRP870CG	Surface Ceiling	Dependent on Battery system	Central Battery CEAG

First Issued: 25/04/2013

Latest Issue: 22/03/2017

Page: 7 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated <u>online</u>.

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.

A member of BSI Group of Companies.