



This is to certify that: Philip Payne Ltd

Thornhill House Thornhill Road Lode Lane Solihull B91 2HB

United Kingdom

Holds Certificate Number: KM 587259

In respect of:

BS EN 60598-2-22 Emergency luminaires

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI: Chris Lewis - Certification Director, Product Certification

First Issued: 2013-04-25 Effective Date: 2018-05-24 Latest Issue: 2018-05-24 Expiry Date: 2020-11-27

Page: 1 of 8

...making excellence a habit.™



No. KM 587259

Emergency Luminaires to BS EN 60598-2-22:2014 in conjunction with BS EN 60598-1:2015

Super 7 range of Luminaires

BSI Test Report Number: 8766811

Rating – 220 -240V 50/60Hz Class II IP20

Brand	Model		Version	
Philip Payne	S7001 LE		Central battery	
	S7001 LM		Self-contained	
	S7001 DL		DALI	
	S7001 YL		Auto Test	
Thorlux	DSV13626 / 7 / 8 / 9		Same as S7001 DL	
	TSV13626 / 7 / 8 / 9		Same as S7001 YL	
Thorlux brands: Individual numbering for legend variation				

Mini Cylinder range of Luminaires

BSI Test Report Number: 8750154

Rating - 220-240V, 50/60Hz Class I IP20

Brand	Model	Туре	Version
Philip Payne	250MCSHDA	Surface mounted wall	Central battery DALI
	250MCSHLE	Surface mounted wall	Central battery
	250MCSHLM	Surface mounted wall	Self-contained
	250MCSHDL	Surface mounted wall	DALI
	250MCSHYL	Surface mounted wall	Auto test
	250MCSVDA	Surface mounted ceiling	Central battery DALI
	250MCSVLE	Surface mounted ceiling	Central battery
	250MCSVLM	Surface mounted ceiling	Self-contained
	250MCSVDL	Surface mounted ceiling	DALI
	250MCSVYL	Surface mounted ceiling	Auto test
	250MCRVDA	Recessed ceiling	Central battery DALI
	250MCRVLE	Recessed ceiling	Central battery
	250MCRVLM	Recessed ceiling	Self-contained
	250MCRVDL	Recessed ceiling	DALI
	250MCRVYL	Recessed ceiling	Auto test

First Issued: 2013-04-25 Effective Date: 2018-05-24 Latest Issue: 2018-05-24 Expiry Date: 2020-11-27

Page: 2 of 8

No. KM 587259

Emergency Luminaires to BS EN 60598-2-22:2014 in conjunction with BS EN 60598-1:2015

Mini Cylinder range of Luminaires (continued)

Brand	Model	Туре	Version
Philip Payne	250MCRHDA	Recessed wall	Central battery DALI
	250MCRHLE	Recessed wall	Central battery
	250MCRHLM	Recessed wall	Self-contained
	250MCRHDL	Recessed wall	DALI
	250MCRHYL	Recessed wall	Auto test

Architectural Range of Luminaires

BSI Test Report Number: 8766810

Rating - 220-240V, 50/60Hz Class I IP20

Brand	Model	Туре	Version
Philip Payne	250FCDA	Recessed ceiling	Central battery DALI
	250FCLE	Recessed ceiling	Central battery
	250FCLM	Recessed ceiling	Self-contained
	250FCDL	Recessed ceiling	DALI
	250FCYL	Recessed ceiling	Auto test
	250DWDA	Wall mounted Sign down	Central battery DALI
	250DWLE	Wall mounted Sign down	Central battery
	250DWLM	Wall mounted Sign down	Self-contained
	250DWDL	Wall mounted Sign down	DALI
	250DWYL	Wall mounted Sign down	Auto test
	250IWDA	Wall mounted Sign up	Central battery DALI
	250IWLE	Wall mounted Sign up	Central battery
	250IWLM	Wall mounted Sign up	Self-contained
	250IWDL	Wall mounted Sign up	DALI
	250IWYL	Wall mounted Sign up	Auto test

First Issued: 2013-04-25 Effective Date: 2018-05-24 Latest Issue: 2018-05-24 Expiry Date: 2020-11-27

Page: 3 of 8

No. KM 587259

Emergency Luminaires to BS EN 60598-2-22:2014 in conjunction with BS EN 60598-1:2015

Architectural Range of Luminaires (continued)

Brand	Model	Туре	Version	
Philip Payne	250CMDA	Ceiling mounted	Central battery DALI	
	250CMLE	Ceiling mounted	Central battery	
	250CMLM	Ceiling mounted	Self-contained	
	250CMDL	Ceiling mounted	DALI	
	250CMYL	Ceiling mounted	Auto test	
	250SMDA	Wall mounted	Central battery DALI	
	250SMLE	Wall mounted	Central battery	
	250SMLM	Wall mounted	Self-contained	
	250SMDL	Wall mounted	DALI	
	250SMYL	Wall mounted	Auto test	
Ceiling mounting options can be direct or with Chains or Rods				

Table 'B' Finish options. Follows the Model reference

Finish code B = Brass, Polished & lacquered	Finish code R = Satin chrome
Finish code C = Polished chrome	Finish code V = Old penny bronze
Finish code D = Brass made antique	Finish code W = White RAL9010
Finish code G = Grey RAL9006	Finish code Z = Special finish: customer specification
Finish code K = Black RAL9005	

First Issued: 2013-04-25 Effective Date: 2018-05-24 Latest Issue: 2018-05-24 Expiry Date: 2020-11-27

Page: 4 of 8

No. KM 587259

Emergency Luminaires to BS EN 60598-2-22:2014 in conjunction with BS EN 60598-1:2015

LED Ceiling Recessed Luminaires Report - 8607983

Rating 220-240V, 50/60Hz Class II IP20 above the ceiling / IP65 below the ceiling

Model	Mounting Type	Duration	Version
TYKE860LN	Recess Ceiling	3 Hrs	Self contained
TYKE860YS	Recess Ceiling	3 Hrs	Self contained Autotest
TYKE860DS	Recess Ceiling	3 Hrs	Self contained DALI
TYKE860LA	Recess Ceiling	Dependent on Battery system	Central Battery
TYKE860DA	Recess Ceiling	Dependent on Battery system	Central Battery DALI
TYKA860LN	Recess Ceiling	3 Hrs	Self contained
TYKA860YS	Recess Ceiling	3 Hrs	Self contained Autotest
TYKA860DS	Recess Ceiling	3 Hrs	Self contained DALI
TYKA860LA	Recess Ceiling	Dependent on Battery system	Central Battery
TYKA860DA	Recess Ceiling	Dependent on Battery system	Central Battery DALI
TYKC860LN	Recess Ceiling	3 Hrs	Self contained
TYKC860YS	Recess Ceiling	3 Hrs	Self contained Autotest
TYKC860DS	Recess Ceiling	3 Hrs	Self contained DALI
TYKC860LA	Recess Ceiling	Dependent on Battery system	Central Battery
TYKC860DA	Recess Ceiling	Dependent on Battery system	Central Battery DALI
TYKT870LN	Recess Ceiling	3 Hrs	Self contained
TYKT870YS	Recess Ceiling	3 Hrs	Self contained Autotest
TYKT870DS	Recess Ceiling	3 Hrs	Self contained DALI
TYKT870LA	Recess Ceiling	Dependent on Battery system	Central Battery
TYKT870DA	Recess Ceiling	Dependent on Battery system	Central Battery DALI
TYKT870CG	Recess Ceiling	Dependent on Battery system	Central Battery CEAG
TYKP870LN	Recess Ceiling	3 Hrs	Self contained
TYKP870YS	Recess Ceiling	3 Hrs	Self contained Autotest
TYKP870DS	Recess Ceiling	3 Hrs	Self contained DALI
TYKP870LA	Recess Ceiling	Dependent on Battery system	Central Battery
TYKP870DA	Recess Ceiling	Dependent on Battery system	Central Battery DALI
TYKP870CG	Recess Ceiling	Dependent on Battery system	Central Battery CEAG

First Issued: 2013-04-25 Effective Date: 2018-05-24 Latest Issue: 2018-05-24 Expiry Date: 2020-11-27

Page: 5 of 8

No. KM 587259

Emergency Luminaires to BS EN 60598-1:2015, BS EN 60598-2-2:2012 & BS EN 60598-2-22:2014.

LED Ceiling surface Luminaires Report - 8607985

Rating 220-240V, 50/60Hz Class I IP20 luminaires with metal enclosure / IP6X luminaires with plastic enclosure

Model	Mounting Type	Duration	Version
SPRT870LN	Surface Ceiling	3 Hrs	Self contained
SPRT870YS	Surface Ceiling	3 Hrs	Self contained Autotest
SPRT870DS	Surface Ceiling	3 Hrs	Self contained DALI
SPRT870LA	Surface Ceiling	Dependent on Battery system	Central Battery
SPRT870DA	Surface Ceiling	Dependent on Battery system	Central Battery DALI
SPRT870CG	Surface Ceiling	Dependent on Battery system	Central Battery CEAG
SPRP870LN	Surface Ceiling	3 Hrs	Self contained
SPRP870YS	Surface Ceiling	3 Hrs	Self contained Autotest
SPRP870DS	Surface Ceiling	3 Hrs	Self contained DALI
SPRP870LA	Surface Ceiling	Dependent on Battery system	Central Battery
SPRP870DA	Surface Ceiling	Dependent on Battery system	Central Battery DALI
SPRP870CG	Surface Ceiling	Dependent on Battery system	Central Battery CEAG

First Issued: 2013-04-25 Effective Date: 2018-05-24 Latest Issue: 2018-05-24 Expiry Date: 2020-11-27

Page: 6 of 8

No. KM 587259

Emergency Luminaires to BS EN 60598-1:2015, BS EN 60598-2-2:2012 & BS EN 60598-2-22:2014.

LED Ceiling Recessed / Surface mounted Luminaires Report - 8800932

Rating 220-240V, 50/60Hz Class II IP20 above the ceiling / below the ceiling

Model	Mounting Type	Duration	Version	
TYKH870LA	Recess Ceiling	Dependent on Battery systen	Central E	Battery
TYKH870DA	Recess Ceiling	Dependent on Battery systen	Central E	Battery DALI
TYKH870DS	Recess Ceiling	3 Hrs	Self cont	ained DALI
TYKH870LN	Recess Ceiling	3 Hrs	Self cont	ained
TYKH870YS	Recess Ceiling	3 Hrs	Self cont	ained Autotest

Rating 220-240V, 50/60Hz Class I IP20 luminaires with metal enclosure

Model	Mounting Type	Duration	Version
SPRH870LA	Surface Ceiling	Dependent on Battery system	Central Battery
SPRH870DA	Surface Ceiling	Dependent on Battery system	Central Battery DALI
SPRH870DS	Surface Ceiling	3 Hrs	Self contained DALI
SPRH870LN	Surface Ceiling	3 Hrs	Self contained
SPRH870YS	Surface Ceiling	3 Hrs	Self contained Autotest

First Issued: 2013-04-25 Effective Date: 2018-05-24 Latest Issue: 2018-05-24 Expiry Date: 2020-11-27

Page: 7 of 8

No. KM 587259

LED Surface Ceiling / Wall mounted Luminaires Report - 8781926

Rating 220-240V, 50/60Hz, Class I, IP6X

Model	Mounting Type	Duration	Version
90LANT350DA	Surface ceiling Surface wall	Dependent on Battery system	Central Battery DALI
90LANT350LA	Surface ceiling Surface wall	Dependent on Battery system	Central Battery
90LANE350DA	Surface ceiling Surface wall	Dependent on Battery system	Central Battery DALI
90LANE350LA	Surface ceiling Surface wall	Dependent on Battery system	Central Battery

First Issued: 2013-04-25 Effective Date: 2018-05-24 Latest Issue: 2018-05-24 Expiry Date: 2020-11-27

Page: 8 of 8