

UNI PRO



IP20

9W

6
WARRANTY

KG
3.0


230v

DALI

NM



- EN 60598-1
- EN60598-2-22
- EN55015
- EN61547
- EN61000-3-2



EXAMPLE PRODUCT CODE			AVUNP	209	LN	W
FAMILY	UNI PRO	AVUNP				
BEAM ANGLE	20°	209				
	50°	509				
CONTROL GEAR	MAINS/CENTRAL BATTERY*	LA				
	MAINS/CENTRAL BATTERY DALI*	DA				
	NON MAINTAINED SELF-CONTAINED	LN				
	NON MAINTAINED AUTOTEST	YS				
	NON MAINTAINED DALI	DS				
	NON MAINTAINED SPECTO-XT	XT				
COLOUR	GREY	G				
	BLACK	K				
	PENNY BRONZE	V				
	WHITE	W				

Example Code AVUNP209LNW Uni Pro | 20 Deg | 9 Watt | Non-Maintained | White Finish

For more information on colours, please go to the **Finishes Page**.

*For input voltages please refer to our installation leaflets.

9W

WARRANTY

3.0


DALI

NM

NM



EN61000-3-2



EXAMPLE PRODUCT CODE			AVURP	209	LN	W
FAMILY	UNI PRO	AVURP				
BEAM ANGLE	20°	209				
	50°	509				
CONTROL GEAR	MAINS/CENTRAL BATTERY*	LA				
	MAINS/CENTRAL BATTERY DALI*	DA				
	NON MAINTAINED SELF-CONTAINED	LN				
	NON MAINTAINED AUTOTEST	YS				
	NON MAINTAINED DALI	DS				
	NON MAINTAINED SPECTO-XT	XT				
COLOUR	GREY	G				
	BLACK	K				
	PENNY BRONZE	V				
	WHITE	W				

For more information on colours, please go to the **Finishes Page**.

*For input voltages please refer to our installation leaflets.

UNI PRO & UNI PRO REMOTE



EN 60598-1


EN60598-2-22

EN55015

EN61547

EN61000-3-2


AVU*P209



cd/klm
C0 - C180 C90 - C270

$\eta = 100\%$

AVU*P509



cd/klm
C0 - C180 C90 - C270

$\eta = 100\%$