


UNI PRO



- IP40
- 9W
- 6 YEAR WARRANTY
- 3.0 KG
- 230v
- DALI
- Staircase icon
- NM



- EN 60598-1
- EN60598-2-22
- EN55015
- EN61547
- EN61000-3-2



EXAMPLE PRODUCT CODE			AVUNP	209	LN	W
FAMILY	UNI PRO	AVUNP				
BEAM ANGLE	20°	209				
	50°	509				
CONTROL GEAR	MAINS/CENTRAL BATTERY*	LA				
	MAINS/CENTRAL BATTERY DALI*	DA				
	NON MAINTAINED SELF-CONTAINED	LN				
	NON MAINTAINED AUTOTEST	YS				
	NON MAINTAINED DALI	DS				
	NON MAINTAINED SPECTO-XT	XT				
COLOUR	GREY	G				
	BLACK	K				
	PENNY BRONZE	V				
	WHITE	W				

Example Code AVUNP209LNW Uni Pro | 20 Deg | 9 Watt | Non-Maintained | White Finish

For more information on colours, please go to the **Finishes Page**.

*For input voltages please refer to our installation leaflets.


UNI PRO REMOTE



- IP40
- 9W
- 6 YEAR WARRANTY
- 3.0 KG
- 230v
- DALI
- Non-Maintained (NM)



- EN 60598-1
- EN60598-2-22
- EN55015
- EN61547
- EN61000-3-2



EXAMPLE PRODUCT CODE		AVURP	209	LN	W
FAMILY	UNI PRO	AVURP			
BEAM ANGLE	20°	209			
	50°	509			
CONTROL GEAR	MAINS/CENTRAL BATTERY*	LA			
	MAINS/CENTRAL BATTERY DALI*	DA			
	NON MAINTAINED SELF-CONTAINED	LN			
	NON MAINTAINED AUTOTEST	YS			
	NON MAINTAINED DALI	DS			
	NON MAINTAINED SPECTO-XT	XT			
COLOUR	GREY	G			
	BLACK	K			
	PENNY BRONZE	V			
	WHITE	W			

Example Code AVURP209LNW Uni Pro Remote | 20 Deg | 9 Watt | Non-Maintained | White Finish

For more information on colours, please go to the **Finishes Page**.

*For input voltages please refer to our installation leaflets.

UNI PRO & UNI PRO REMOTE



IP40 9W

6 WARRANTY 3.0 KG

230v DALI

NM



- EN 60598-1
- EN60598-2-22
- EN55015
- EN61547
- EN61000-3-2

AVU*P209 30°

MOUNTING HEIGHT	0.5 LUX				1 LUX			
	2.5	8.3	18.7	6.7	3.1	7.4	16.9	5.9
3.0	9.2	20.7	7.0	3.5	8.0	18.8	7.1	3.2
3.5	10.1	22.8	7.7	4.1	8.7	20.7	8.0	3.6
4.0	10.6	24.4	8.6	4.6	9.4	22.1	8.7	4.0
4.5	11.2	26.0	9.6	5.0	9.8	23.6	9.4	4.3

AVU*P509 30°

MOUNTING HEIGHT	0.5 LUX				1 LUX			
	2.5	8.0	18.2	7.7	3.8	7.5	17.0	6.8
3.0	8.9	20.4	8.5	4.2	8.1	19.2	7.5	3.6
3.5	9.9	22.6	9.3	4.4	8.8	20.8	8.4	4.0
4.0	10.5	24.5	10.3	4.8	9.6	22.5	9.2	4.3
4.5	11.3	26.0	10.6	5.2	10.2	24.0	10.0	4.6

UNI PRO & UNI PRO REMOTE




- IP40
- 9W
- 6 WARRANTY
- 3.0 KG
- 230v
- DALI
- NM




- EN 60598-1
- EN60598-2-22
- EN55015
- EN61547
- EN61000-3-2

AVU*P209



cd/klm $\eta = 100\%$
— C0 - C180 — C90 - C270

AVU*P509



cd/klm $\eta = 100\%$
— C0 - C180 — C90 - C270