









ION WALL



ION WALL (FLAG)



- EN 60598-1
- EN60598-2-22
- EN55015
- EN61547
- EN61000-3-2



ION WALL



EN 60598-1

EN60598-2-22

EN55015

EN61547

EN61000-3-2

EXAMPLE PRODUCT CODE			ION	W	S	LM	W	IS	S	U
FAMILY	ION	ION								
TYPE	WALL	W								
	FLAG	F								
MOUNT	SURFACE	S								
	RECESSED	R								
CONTROL	MAINS/CENTRAL BATTERY*	LA								
	DALI MAINS/CENTRAL BATTERY*	DA								
	MAINTAINED SELF-CONTAINED	LM								
	MAINTAINED DALI	DL								
	MAINTAINED SPECTO-XT	XT								
COLOUR	WHITE (RAL 9010)	W								
	BLACK (RAL9005)	K								
	GREY (RAL 9006)	G								
LEGEND TYPE	ISO 7010	IS								
LEGEND SIDE	SINGLE SIDED	S								
	DOUBLE SIDED**	D								
ARROW DIRECTION	UP	U								
	DOWN	D								
	LEFT	L								
	RIGHT	R								

Example Code IONWSLMWISSU ION | Wall | Surface | Maintained Self-Contained | White (RAL 9010) | ISO 7010 | Single Sided | Up Arrow

For more information on colours, please go to the **Finishes Page**.

*For input voltages please refer to our installation leaflets.

**Only available on flag mounted versions